

## AMR and Phage Therapy

### Why in news?

\n\n

Phage therapy has been emerged as a new counter measure for Antibody resistance.

\n\n

### What is antibiotic resistance?

\n\n

\n

- Antimicrobial resistance (AMR) is the ability of a microbe to resist the effects of medication previously used to treat them.

\n

- **Resistance arises through one of three ways:** natural resistance in certain types of bacteria, genetic mutation, or by one species acquiring resistance from another.

\n

- Resistance can appear due to random mutations; or more commonly following gradual build-up over time, and because of misuse of antibiotics or antimicrobials.

\n

- **Resistant microbes are increasingly difficult to treat**, requiring alternative medications or higher doses, both of which may be more expensive or more toxic.

\n

- Microbes resistant to multiple antimicrobials are called multidrug resistant (MDR); or sometimes **superbugs**.

\n

- Antimicrobial resistance is on the rise with millions of deaths every year.

\n

- All classes of microbes develop resistance: fungi develop **antifungal resistance**, viruses develop **antiviral resistance**, protozoa develop **antiprotozoal resistance**, and bacteria develop antibiotic resistance.

\n

\n\n

## **What is the Global impact of AMR?**

\n\n

\n

- Over the past decades, antimicrobial agents have been revolutionary in alleviating communicable diseases across the world.

\n

- In the US, more than two million people fall sick every year due to antibiotic-resistant infections, resulting in at least 23,000 deaths.

\n

- While antibiotic resistance is a global hazard to public health, India, the largest consumer of antibiotics in the world, is notoriously seen as the epicentre of this threat.

\n

\n\n

## **What is the position of AMR in India?**

\n\n

\n

- There is widespread existence of superbugs throughout the country.

\n

- The crude infectious disease mortality rate in India today is 416.75 per 100,000 persons, which is twice the rate prevailing in the US.

\n

- Some important factors responsible for the rising antibiotic resistance in India are.\n

\n

- Indiscriminate use of antimicrobial drugs

\n

- Laxity of regulatory bodies in approval of antibiotics

\n

- Lack of public awareness about antibiotic resistance

\n

- Injudicious use in veterinary practices

\n

- Overburdened health infrastructure and inequity in healthcare.

\n

\n

\n

\n\n

## **What is the new therapy is about?**

\n\n

\n

- **Bacteriophage therapy** or simply phage therapy holds promise as an alternative treatment option.

\n

- **Bacteriophages are viruses that infect and kill bacteria.**

\n

- The revitalisation of phage therapy has received increased global attention since the appearance of multidrug-resistant bacteria.

\n

- The most striking advantage of bacteriophage therapy is the **ability to tailor treatment accurately to kill the pathogenic bacteria** provided the diagnostic procedures are highly accurate.

\n

\n\n

### **What is the way forward?**

\n\n

\n

- **Capacity building and sensitisation** of all the stakeholders is an integral pre-requisite of this programme.

\n

- The **multidisciplinary team members** comprise an infectious diseases physician, a clinical pharmacist, a microbiologist, an infection control team, a hospital epidemiologist, an information system specialist, quality improvement staff, laboratory staff and nurses is required in every public health department.

\n

- Antibiotics should only be used when needed as prescribed by health professionals.

\n

- The prescriber should closely adhere to the five rights of drug administration: The right patient; the right drug; the right dose; the right route and the right time.

\n

\n\n

\n\n

**Source: Business Line**

\n



**SHANKAR**  
**IAS PARLIAMENT**  
*Information is Empowering*