

Approach for Digital India

What are the factors that drive internet access and usage in India?

\n\n

\n

- An overriding factor is the growth **of wireless devices and traffic** as a global phenomenon.

\n

- Cisco estimated in June 2016 that in 2015, wired access comprised 52 per cent of IP traffic, but would reduce to one-third by 2020, while **wireless access would increase to two-thirds**.

\n

- This trend is reinforced by another factor: Innovation that lowers costs and improves performance in mobile wireless.

\n

- Metropolitan and urban areas have additional factors, such as intense competition in Optical Fibre Communication (OFC) in localities with high commercial potential.

\n

- Fibre is preferable provided the installation is feasible at reasonable cost, and is commercially sustainable.

\n

- There are exceptions, as in the high-speed trading links mentioned above, or where users are geographically dispersed. Even in dense urban areas, it is sometimes impractical to install OFC connections because of congestion and/or rights-of-way costs.

\n

- The third factor is the combination of the **geographic spread** of our population, the concentration of **broadband penetration** and the limited coverage of OFC networks.

\n

\n\n

What are the problems associated with OFC?

\n\n

\n

- While major cities and their connecting links are covered by OFC, less

populated and less commercially attractive areas between them are not connected.

\n

- In hilly terrain, there is considerable difficulty in laying OFC, which extends far beyond cost.

\n

- In urban areas, cost can be a deterrent because we lack reasonable, uniform charges for rights-of-way.

\n

- Such procedures and practices are difficult to institute and enforce viable OFC networks.

\n

- It's not only the installation of the OFC, but of **ensuring quality and reliability**.

\n

- OFC networks in India apparently suffer from 12 to 14 cuts per km per month, whereas the **international benchmark is 0.7 km per month**.

\n

- Apart from more frequent repairs, the capital expenditure is nearly three times as high as in Australia or the US.

\n

- Estimates for installing OFC using standard procedures vary from about Rs 1 lakh to Rs 4 lakh per km. However, there have been attempts at getting costs down by radical changes in approach.

\n

\n\n

Redesigning the approach:

\n\n

\n

- For all these reasons, we need concerted action to redesign our approach to broadband, covering the fundamentals of infrastructure, spectrum and market designs.

\n

- We have the experience of building other infrastructure such as roads and airports on revenue-sharing principles.

\n

- We have to take a similar systematic, phased approach to designing and implementing broadband networks.

\n

- **Policies on infrastructure resource use including spectrum need to be rationalised**, and the sector organised through participative path-finding and problem solving.

\n

- We have to build national champions in manufacturing to keep costs affordable, for instance, using TV White Space.

\n

- India could set the standard with its IPR and products where OFC is infeasible or unviable for connectivity to villages and rural clusters.

\n

- Both the administrative and political leadership need to do this, working with all stakeholders, and not treating any of them as adversaries, or cronies.

\n

\n\n

\n\n

Category: Mains | GS - III | Economic Development

\n\n

Source: Business Standard

\n

