

## Assessing Tree based programmes

### What is the issue?

\n\n

\n

- In 2015, India made a Bonn Challenge commitment to:

\n

\n\n

\n

- i. restore 13 million hectares (Mha) of degraded land by 2020.

\n

- ii. bring an additional 8 Mha by 2030.

\n

\n\n

\n

- India's NDCs have also pledged to sequester 2.5 to 3 billion tonnes of CO<sub>2</sub> equivalent additionally by 2030.

\n

- India needs to assess and design its tree-based environmental programmes to meet its climate goals.

\n

\n\n

### What is the shortfall?

\n\n

\n

- Recently, Madhya Pradesh planted 66 million trees in 12 hours to enter the record books, overtaking earlier record of Uttar Pradesh.

\n

- As different States work to achieve the above commitments, it appears that there is an **over-reliance on plantations**.

\n

- Resultantly, large-scale plantation drives do not really achieve the goals because they **lack focus on**:

\n

\n\n

- \n
- i. species selection.
  - \n
  - ii. quality of planting materials.
  - \n
  - iii. survival rates of planting materials.
  - \n
  - iv. tenure and resource rights to ensure that the benefit flows to communities.
  - \n

\n\n

### **What should the approach be?**

\n\n

- \n
- Plantations are but one among a larger group of interventions.
  - \n
  - Notably, neither the Bonn Challenge nor the NDCs are about large-scale plantations alone.
  - \n
  - More emphasis is essential on **landscape approaches**, a model aimed at improving the ecology of a landscape as a whole.
  - \n
  - Only this can contribute to the larger goal of climate change adaptation by **benefitting the local communities** dependent on forests and agriculture.
  - \n
  - And ensure a **flow of multiple ecosystem services** such as food security, biodiversity conservation and water supplies.
  - \n
  - Besides, **protecting the existing healthy forest** areas from deforestation, degradation and fragmentation is crucial.
  - \n

\n\n

### **What are the options?**

\n\n

- \n
- India has numerous models that are suited for different regions and farm household sizes whereby trees can creatively be integrated into different land uses.
  - \n
  - **Agroforestry** - At least 35 types of agroforestry models are practised in India.

- \n
- It involves planting different trees that provide timber, fruits, fodder, fuel and fertilizers along with food crops.
  - This diversifies income from farming as well as improves land productivity.
  - **Natural regeneration** - The Farmer-managed natural regeneration (FMNR) systems deliver a combined economic and ecosystem benefit.
  - Under this, farmers protect and manage the growth of trees and shrubs that regenerate naturally in their fields.
  - The regeneration could be from root stock or from seeds dispersed through animal manure.
  - The FMNR system can contribute to increased carbon sequestration as well as to annual agricultural production.
  - **Besides**, NABARD's 'Wadi' model and the Foundation for Ecological Security's re-greening of village commons project are good examples of tree-based interventions.
  - These are proving to be of great value in terms of cost-effectiveness as well as the range of benefits they deliver to communities.
- \n

\n\n

## **What are the preconditions?**

\n\n

- \n
- **Land rights** - An important success factor in large-scale tree-based programmes is security of tenure and land rights.
  - In several parts of the world, securing tenure over forests has been established as a cost-effective way of achieving climate sequestration.
  - It is also critical to ensure that owners have the right to manage and use these trees.
  - **Monitoring system** - A performance monitoring system is essential to quantify tree survival rates and analyse the benefits to communities.
  - Remote sensing, crowd sourced, ground-level monitoring, etc are the

technological means to monitor.

\n

- These can better be combined with support from communities and civil society organisations to have a qualitative assessment of the programmes.

\n

- **Methods** - It is critical to determine the right type of tree-based interventions most suitable to a certain land use.

\n

- This is achieved by using scientific evidence-based methodology with a participatory approach.

\n

- A tool called the ROAM (Restoration Opportunities Assessment Methodology) is being used in 40 countries for this purpose.

\n

- The ROAM includes analysis of spatial, legal and socio-economic data and draws on consultations with key stakeholders to determine the right type of interventions.

\n

- In India, this tool is being piloted in Uttarakhand and Madhya Pradesh.

\n

\n\n

## **Quick Fact**

\n\n

## **'Wadi' model**

\n\n

\n

- This is a tribal development programme launched by the National Bank for Agriculture & Rural Development (Nabard)

\n

- It is a holistic model for tribal development aiming at economic uplift through sustainable agriculture, social empowerment and improvement in quality of life.

\n

- The financial assistance under Wadi is provided from Tribal Development Fund set up by Nabard out of its profit.

\n

\n\n

\n\n

**Source: The Hindu**

\n

