

## Decline in MMR in India

### Why in news?

\n\n

India has recorded a 22% drop in Maternal Mortality Rate (MMR).

\n\n

### What is MMR?

\n\n

\n

- MMR is defined as the proportion of **maternal deaths per 1,00,000 live births.**

\n

- Maternal mortality is defined as the death of a woman while pregnant or within 42 days of termination of pregnancy.

\n

- The causes could be related to or aggravated by the pregnancy or its management.

\n

- Complications during pregnancy and childbirth are a leading cause of death and disability among women of reproductive age.

\n

- The maternal mortality ratio represents the risk associated with each pregnancy, i.e., the obstetric risk.

\n

\n\n

### What are the recent findings?

\n\n

\n

- MMR of India has declined from 167 in 2011-2013 to 130 in 2014-2016.

\n

- The decline has been most significant in Empowered Action Group (EAG) states.

\n

- These include Bihar, Jharkhand, Madhya Pradesh, Chhattisgarh, Odisha,

Rajasthan, UP and Uttarakhand.

\n

- Besides, Assam has also registered a decline from 246 to 188.


\n

- Among the southern states, the decline has been from 93 to 77 and in the other states from 115 to 93.

\n

\n\n

## INDIA'S FALLING MMR



\n\n

### How has NRHM contributed to this?

\n\n

\n

- With **Janani Suraksh Yojna** (JSY) under National Rural Health Mission, institutional births nearly doubled.

\n

- It increased from around 38% to 78% between National Family Health Survey III (2005-06) and NFHS IV.

\n

- The web-based **Mother and Tracking System** tracked every pregnancy in the country since 2010.

\n

- It sends messages to health workers and expectant mothers about ante-natal checkups, vaccinations etc.

- \n
- NRHM also allowed **auxiliary nurse midwives (ANMs)**.
- \n
- They administer antibiotics, intravenous fluids and drugs during emergencies under supervision.
- \n
- For Ceasarean sections, there are **first referral units (FRUs)**.
- \n
- FRU is a district or sub-divisional hospital or community health centre which has the facilities in this regard.
- \n
- The **Accredited Social Health Activist (ASHA)** attended to women who were not going to hospitals for deliveries.
- \n
- NRHM took efforts to increase the frequency of visits by ASHAs.
- \n
- The basic issue however was of improving standards.
- \n
- The incentive system of ASHAs was thus devised.
- \n
- It was ensured that they got good money only if they visited throughout the 9 months.
- \n
- Nutritional support through **anganwadis** was a major componenet.
- \n
- Besides these, the **Janani Shishu Suraksha Karyakram (JSSK)** was implemented.
- \n
- It entitles all pregnant women delivering in public health institutions to free delivery, including C-sections.
- \n

\n\n

### **What are the continuing concerns?**

\n\n

- \n
- **Infrastructure** - A recent report highlighted a tribal woman in labour in Kerala being carried on a sling made of clothes.
- \n
- But Kerala leads in most health indices, including MMR.
- \n
- Thus, beyond indices, instances like the above underlines the need for basic physical infrastructure such as roads.

\n

- **MDG** - India has made sustained progress in reducing maternal mortality.  
\n
- However, it missed the millennium development goal (MDG) of reducing MMR by 75% from 437 in 1990 to 109 in 2015.  
\n
- **NRHM** - Janani Suraksh Yojna (JSY) is one of the main strategies or policy shifts under NRHM.  
\n
- It is a conditional cash transfer scheme to motivate pregnant women for institutional deliveries.  
\n
- In better developed states of South India, it is limited to women below poverty line up to first two childbirths.  
\n
- But notably, maternal mortality steeply rises in grand multiparous women, delivering a child after third pregnancy onward.  
\n

\n\n

\n\n

**Source: Indian Express**

\n

