

Eliminating MTCT of HIV

What is the issue?

 $n\n$

A recent study shows complete elimination of mother-to-child transmission of HIV is possible.

 $n\n$

How HIV is transmitted to child?

 $n\n$

\n

• Mother-to-child transmission MTCT is the primary route of transmission of HIV among children.

۱n

 Babies are infected during pregnancy, labour, delivery or while breastfeeding.

\n

 $n\n$

What is the status of MTCT HIV in India?

 $n\n$

\n

- Currently 5% of babies born to those who are HIV-positive get infected, if transmission rate is below 2% it is considered as elimination.
- According to NACO, only about 52.7% of pregnant mothers seek skilled care out of an estimated 27 million pregnancies in a year.

 $n\n$

What are the methods to prevent MTCT?

\n

- Multidrug Therapy India is following the World Health Organisation (WHO) recommended 'multidrug therapy', which is a combination of three drugs — tenofovir, lamivudine and efavirenz (TLE).
- Affected women need to take it all their lives and nevirapine syrup for six weeks only for their babies.
- Multidrug therapy is usually adequate to drastically reduce a mother's viral load.

\n

 Caesarean - During a baby's journey through the vaginal passage, contact with abrasions, secretions and blood, which contain the virus, increases the risk of transmission.

\n

• Elective caesarean section and no breastfeeding will limits the transmission.

\n

 $n\n$

What are the challenges in India?

 $n\n$

\n

• Doctors recommend that HIV-positive women should not breastfeed as their milk harbours the virus.

\n

• For patients from underprivileged classes, replacing the nutrition for the baby without breastfeeding is difficult.

\n

• The enormous population in India makes it challenging for health-care workers to reach out to every pregnant woman.

\n

• On the other hand, pregnant women too often delay registering for antenatal care.

\n

 $n\n$

 $n\n$

Source: The Hindu

\n

