

## Impact of Air Pollution on Human Health

### Why in news?

Recently, the State of Global Air (SoGA) 2024 was released which offers a stark reminder of the significant impacts air pollution has on human health.


### What is air pollution?

- **Air pollution** - It is contamination of the indoor or outdoor environment by any chemical, physical or biological agent that modifies the natural characteristics of the atmosphere.
- **Common sources** - Household combustion devices, motor vehicles, industrial facilities and forest fires are common sources of air pollution.
- The major outdoor pollution sources include residential energy for cooking and heating, vehicles, power generation, agriculture/waste incineration, and industry.
- **Pollutants** - Pollutants of major public health concern include particulate matter, carbon monoxide, ozone, nitrogen dioxide and sulfur dioxide.
- **Impact on climate** - Many of the drivers of air pollution (i.e. combustion of fossil fuels) are also sources of greenhouse gas emissions.
- **Impact on human health** - Outdoor and indoor air pollution cause respiratory and other diseases and are important sources of morbidity and mortality.
- Polluted air is a *big trigger for pneumonia* and other respiratory infections and allergic diseases in children.
- There is a strong connection between long-term exposure to *traffic-related air pollution and early death* due to cardiovascular diseases and lung cancer, asthma onset in children and adults, and acute lower-respiratory-tract infections in children.


*WHO data show that almost all of the global population (99%) breathe air that exceeds WHO guideline limits and contains high levels of pollutants, with low- and middle-income countries suffering from the highest exposures.*

- It is an *annual tracker of health impact of air pollution*.
- **Prepared by** - It is a collaborative assessment by the
  - US-based Health Effects Institute (HEI)
  - Institute for Health Metrics and Evaluation's Global Burden of Disease (GBD) project.
- This has been produced for the *first time in partnership with UNICEF*.
- **Data source** - These results are linked to the Global Burden of Disease (GBD) 2021 report which estimated about 200 countries.
- **Assessment** - It usually assess the impact of *Particulate Matter (PM<sub>2.5</sub>) and Ozone* on human health.
- This 2024 report also covers the impact of *nitrogen oxides (NO<sub>2</sub>)*.

## What are the key findings of the report?



- **During the pre-pandemic phase (1990 to 2019)** - The order of the leading global causes of death were ischemic heart disease, stroke, chronic obstructive pulmonary disorder (COPD), and lower respiratory disease.
- **Post pandemic in 2021** - Covid-19 changed the order with age-standardised mortality from COVID ranking second after ischemic heart disease, and stroke and COPD dropping to third and fourth place, respectively.
- **Impacts of air pollution on human** - It became the *second largest killer globally after blood pressure*, recording a dubious tally of 8.1 million deaths in 2021.



- **Impact on children under five years** - With more than 700,000 deaths, air pollution become the second leading risk factor after malnutrition globally.
- As many as 500,000 of these child deaths are linked to household air pollution from cooking indoors using dirty fuels in Africa and Asia.
- Polluted air is a big trigger for pneumonia and other respiratory infections and allergic diseases in children.

### Children Under 5

709,000 total deaths from air pollution in 2021.  
The largest burden of disease is seen in Asia and Africa.

72%  
HAP

28%  
PM<sub>2.5</sub>

air pollution-related deaths by pollutant

### 2nd largest risk factor of deaths in 2021

In South Asia and East, West, Central and Southern Africa, air pollution accounts for nearly 30% of all deaths in the first month after birth.

#### Global Risk Factors for Death for Children Under 5 Years

1. Malnutrition
2. Air pollution
3. Water, sanitation, and hygiene
4. High or low temperature
5. Tobacco

- **Impact of Climate Change** - It can exacerbate the health burden of non-communicable diseases, including heart and lung diseases, during heatwaves.

### What is the status of pollutants causing air pollution?

- Even though PM<sub>2.5</sub> (both ambient and household together) account for more than 90% of the total air pollution disease burden, NO<sub>2</sub> and ozone are the growing risk factors globally.

### Status of NO<sub>2</sub> in Air pollution

- Higher exposure to NO<sub>2</sub> shows the growing risk *from traffic exhaust* in densely populated urban areas.
- Seven of the 10 countries with the highest NO<sub>2</sub> exposures are in the *high income countries* in West Asia.
- The highest exposures to NO<sub>2</sub> have been noted in countries with *high socio-development index*, including Singapore, Japan and Canada.
- **Impact on children** - NO<sub>2</sub> is a *leading risk factor for the development of childhood asthma*.
- About 55% of 194 countries studied do not yet meet the annual WHO Air Quality Guidelines of 10 µg/m<sup>3</sup>, resulting in 42% of the world's population being exposed to unacceptable levels.
- **Impact of climate** - It is a *catalyst for formation of ozone*, yet another very harmful gas.
- NO<sub>2</sub> reacts with other chemicals in the atmosphere to produce both particulate matter and ozone.

### Status of Ozone in Air pollution

- Ozone levels have also *increased in South Asia*.
- **Impact of Climate change** - The chemical reactions that form ozone *increase when the air is warmer*, especially during heatwaves.
- Evidence shows that ozone *spikes during heatwaves* in China and Europe.
- **Exposure** - The proportion of population experiencing high ozone exposures is also increasing in India, Nigeria, Pakistan, and Brazil.
- **Impact on vegetation** - It can *reduce crop yields, damage biodiversity*, and undermine food security and nutrition.
- **Impact on humans** - In 2021, ozone was responsible for *56% of all global ozone deaths* reported in South Asia.
- Exposure to ozone is associated with an increased risk of both *acute and chronic respiratory illnesses*.
- **India** - It has recorded about *237,000 ozone related deaths*.
- In 2021, nearly 50% of all ozone-related COPD deaths were in India, followed by China and Bangladesh.

### Status of PM 2.5 in Air pollution

- Evidently, nearly 20% of the global ambient PM<sub>2.5</sub> is attributed to household air pollution.
- **Impact on humans** - India and China have recorded 2.1 million and 2.3 million deaths respectively and together account for nearly 55% the total global disease burden from particulate matter.

## What lies ahead?

- **Emulate the successful policy decisions** - There has been a 61% reduction in the age-standardised death rate from household air pollution.
- This improvement has been possible due to growing access to clean energy for cooking, grid electricity, cleaner-burning cookstoves, and cleaner fuels.
- **Tackle air pollution** - It can be done by reducing toxic emissions and greenhouse gases, which will improve public health and combat climate change.

## References

1. [Down To Earth| Air Pollution is 2<sup>nd</sup> Leading Risk Factor for Children](#)

2. [WHO| Air Pollution](#)
3. [State of Global Air| State of Global Air 2024 Report](#)

