

## Incineration and Solid waste management

### Why in news?

\n\n

\n

- The Niti Aayog, in its Draft Three Year Action Agenda, has drawn attention to the need for a sustainable plan for solid waste management in Indian cities.

\n

- The Aayog has taken the stand that incineration or “Waste to Energy” is the best option as a sustainable disposal solution for the solid waste of larger cities.

\n

\n\n

### What is Incineration?

\n\n

\n

- Incineration is a **waste treatment process** that involves the combustion of organic substances contained in waste materials.

\n

- Incineration of waste materials converts the waste into ash, flue gas and heat.

\n

- The ash is mostly formed by the inorganic constituents of the waste, and may take the form of solid lumps or particulates carried by the flue gas.

\n

- In some cases, **the heat generated by incineration can be used to generate electric power.**

\n

- Incineration with energy recovery is one of several waste-to-energy (WTE) technologies such as **gasification, pyrolysis and anaerobic digestion.**

\n

\n\n

### What are the drawbacks of Incineration technology?

\n\n

\n

- WTE is moving fast, regulatory challenges are enormous and the challenges of enforcing emission standards are even greater.

\n

- The Niti Aayog fails to point out that when incineration plants in cities use unsegregated waste to generate electricity, **they emit toxic gases as by-products** and irresponsibly dispose of these “dangerous by-products” in the air.

\n

- Incineration technologies require a continuous supply of waste with a sufficiently high calorific value and low moisture content.

\n

- Researchers found that **Indian waste is not suitable for incineration** because it has **too high a moisture content**, leading to low calorific value.

\n

- The Niti Aayog is silent on the segregation of wet waste from dry waste at the source of generating waste.

\n

- No revenue is available for a new Central corporation on solid waste management; the land on which plants will be built also belongs to urban local governments or state governments.

\n

\n\n

## **What could be done?**

\n\n

\n

- **Incentives for segregation** and a **penalty for non-segregation** must be the first action point of any agenda on municipal solid waste management.

\n

- If segregated at source, it can be collected and delivered at a local Bio-methanation plant for anaerobic processing.

\n

- **Bio-methanation allows the capture of biogas** which can be used for cooking or for electricity generation, it also produces liquid fertiliser.

\n

- If this practice is followed across the country, 50% of the wastes in urban India need not to be hauled over long distances to waste to energy plants and landfills.

\n

- The decentralised strategy for treating biodegradable waste is as much relevant for large cities as for small.

\n

\n\n

## What is the way forward?

\n\n

- \n
  - The Niti Aayog has recommended setting up a **Waste to Energy Corporation of India** under the Ministry of Urban Development, “Which may set up world-class waste to energy plants through public-private partnerships (PPP) across the country”.
  - \n
    - The policy focus must not sway from examining the financial and environmental costs and benefits of the different alternatives for waste management.
    - \n
      - India do not have effective mechanisms for monitoring emissions, the health hazard becomes even more challenging.
      - \n
        - Niti Aayog must follow up with **extensive consultation** with subject experts, stakeholders and practitioners in state governments and urban local governments.
        - \n
          - Individual households, housing societies, Resident Welfare Associations and bulk generators should be at the centre of the movement to get segregation.
          - \n
            - The waste must be delivered to the plant in closed containers and processed within a specified short period, while the biogas and liquid fertiliser must be used to derive environmental benefits.

\n\n

\n\n

**Source: Indian Express**

\n

