

## Influenza

### What is Influenza?

\n\n

\n

- Influenza is an acute **viral infection of the respiratory tract** which is considered to be one of the life-threatening infectious diseases.

\n

- The virus can be transmitted by direct contact with infected individuals, via contaminated objects (also called fomites) and by inhalation of virus-laden aerosols.

\n

- An unexpected emergence of a new and highly virulent influenza virus strains can result in a world-wide pandemics with high morbidity and mortality - such as **the “avian flu” in 1997 and “swine flu” in 2009.**

\n

- Human influenza viruses are **single-stranded RNA viruses**. The main targets of the virus are the columnar epithelial cells of the respiratory tract, i.e. trachea, bronchi and bronchioles.

\n

- Infectivity of influenza virus particles depends on the pH, temperature and salinity of the water, as well as the UV irradiation.

\n

\n\n

### What are the types of Influenza?

\n\n

\n

- Influenza is caused by three types of RNA viruses called influenza types A, B and C (considered different genera), which all belong to the family **Orthomyxoviridae**.

\n

- The disease, colloquially called "flu" in humans, is generally caused by the viruses A and B.

\n

- Subtypes of influenza A and B viruses can be further characterized into strains. There is a plethora of different strains of influenza B viruses and of

influenza A subtypes, and new strains of influenza viruses can appear and replace older strains.

\n

- Influenza type A viruses are known to infect people, birds, pigs, horses, whales, seals and other animals, but **wild birds represent the natural hosts** for these viruses.

\n

- Only a fraction influenza A subtypes (i.e. **H1N1, H1N2 and H3N2**) are currently in general circulation among people.

\n

- Influenza B viruses are responsible the same spectrum of disease as influenza A. And, **influenza B viruses do not cause pandemics.**

\n

- Influenza C viruses are different in comparison to influenza A and B. They cause a mild respiratory illness and are **not thought to cause epidemics.**

\n

\n\n

### **Why have H1N1 cases shot up?**

\n\n

\n

- The spread of influenza virus declines when the temperature shoots up.
- But this year, despite the summer temperature crossing 40 degrees Celsius in some parts of the country, the number of H1N1 cases and occasional deaths have not stopped.

\n

- According to the WHO, since December 2016, **H1N1, H3N2 and Influenza B have been circulating in India.**

\n

- During September 2016-February 2017, H3N2 has been predominant in most countries, with only “low levels” of the H1N1 viruses circulating in the northern hemisphere, says the WHO.

\n

- H1N1 had claimed 160 lives in the country between January 1 and March 26, 2017. The highest number of deaths was reported from Maharashtra.

\n

\n\n

### **What are the steps to be taken?**

\n\n

\n

- With over 32,000 people infected and nearly 2,000 killed in 2015, H1N1 highlighted **how ill-prepared the country was** in preventing the spread of an infectious disease and managing it.  
\n
- What India needs is a **national policy for influenza immunisation**.  
\n
- In the absence of information on who is most susceptible to H1N1 infection and very likely to die, framing a national policy will be harder and take a long time.  
\n
- But until a national policy for influenza immunisation is in place, individuals, particularly those who are highly vulnerable, should get vaccinated and practise safe health measures such as **correct cough etiquette** (not coughing into our fingers but at elbow), staying at home if infected, and not sharing towels with others.  
\n
- Healthcare workers who handle high-risk patients should particularly get vaccinated.  
\n

\n\n

### **Is the circulating strain different?**

\n\n

- **The Pune-based National Institute of Virology** has sequenced the whole genome of H1N1 and **has not found any critical mutation** responsible for the spread or increased mortality.  
\n
- While the California strain had been circulating across the world since the 2009 pandemic.  
\n
- During 2016 **California strain and Michigan strain** were circulating in India.  
\n
- However, this year, the H1N1 surveillance revealed that the Michigan strain was circulating, with no sign of the California strain.  
\n

\n\n

### **Can vaccination prevent infection?**

\n\n

\n

- On March 2, the WHO flu vaccine advisory group recommended the composition of influenza virus vaccines for use in the 2017-18 northern hemisphere influenza season.

\n

- It announced that the Michigan strain replaced the California strain in the northern hemisphere.

\n

- Based on its recommendation, **the Pune-based Serum Institute of India** has started making influenza vaccine using the Michigan strain, but the vaccine is yet to reach the market.

\n

\n\n

\n\n

**Source: The Hindu**

\n

