

## **Lifestyle diseases - A New Normal**

### **What is the issue?**

\n\n

\n

- Lifestyle diseases were earlier prevalent among the affluent section of the society.

\n

- Now it is proportionately prevailing among all economic sections and is a “new-normal” disease.

\n

- A study based on lifestyle diseases explain this crisis.

\n

\n\n

### **What are lifestyle diseases?**

\n\n

\n

- Lifestyle diseases characterize those diseases whose occurrence is primarily based on the daily habits of people and are a result of an inappropriate relationship of people with their environment.

\n

- The main factors contributing to lifestyle diseases include bad food habits, physical inactivity, wrong body posture, and disturbed biological clock.

\n

- Lifestyle diseases include, heart disease, and stroke, obesity and type 2 diabetes.

\n

- Diseases associated with smoking and alcohol and drug abuse.

\n

- Regular physical activity helps prevent obesity, heart disease, hypertension, diabetes, colon cancer, and premature mortality.

\n

\n\n

### **What is the new study about?**

\n\n

- The distribution pattern of a range of lifestyle diseases across per capita consumption expenditure of persons has been found by plotting a pseudo-Lorenz curve for morbidity.
- Using this the diseases has been classified into “affluent”, “normal” and “deprived”.
- The incidence of these three diseases was 7.7% in 2004, shooting up to 17% in 2014.
- These classifications are made from the obtained evidence from the surveys conducted by the National Sample Survey Office (NSSO) on “morbidity in India” in 2004 and 2014.

### How does this works?

- **Pseudo-Lorenz curve**- It is curve of income which plots the cumulative percentage of income from source on vertical axis.
- Cumulative percentage of population ranked by household income or consumption expenditure on horizontal axis.
- Such pseudo-Lorenz curves may be attempted for other items and for this study morbidity has been chosen.
- Naturally, the curve lies below the Line of Equal Distribution for items which belong disproportionately more to rich than to poor, like income and, in our case, lifestyle diseases.
- However, the curve lying above this line points towards the case when the items disproportionately belong more to poor than to rich.

### What does the classification signifies?



\n\n

\n

- **Affluent** - The diseases under this category hits rich people more than they hit poor.

\n

- **Normal** - The diseases under this category are the ones which proportionately affect all economic sections of the society.

\n

- This proportion increased to 34.6% in 2014, clearly suggesting that many more people are now getting struck with “normal” diseases than they used to, in 2004.

\n

- This increase is much more in the case of urban India, where incidence of diseases rose from 36% in 2004 to 49.6% in 2014.

\n

- In 2004, the incidence of diseases prevailing proportionately among all sections (normal) of the society in rural India was 28.2%.

\n

- Our preliminary results show that states with significantly high proportion of “new-normal” diseases are Kerala (rural) and Andhra Pradesh (urban).

\n

- For instance, heart-related diseases or diabetes, which were earlier associated with the affluent, are now prevalent among other sections too, particularly in rural areas.

\n

- **Deprived** - The diseases under this category hit poor more than they hit rich.

\n

- The study reveals that, in 2004, 64% of the diseases were associated with the deprived section in rural India.

\n

- This percentage has gone down to 48.6% in 2014, due to the emergence of new normal lifestyle disease.

\n

\n\n

\n\n

**Source: Financial Express**

\n



**SHANKAR**  
**IAS PARLIAMENT**  
*Information is Empowering*