

## **Vast discovery of Amphibians in Western Ghats**

### **What is the issue?**

\n\n

\n

- Of India's 405 amphibians, 239 are found in the Western Ghats.
- As much as 130 new amphibians, that include frogs, toads, caecilians (limbless amphibians) and salamanders, have been discovered in the Western Ghats since the year 2000.

\n

\n\n

### **Why the sudden surge in new discoveries?**

\n\n

\n

- In the past, biologists mainly relied on physical characteristics to identify species.
- This might have resulted in labelling wrongly.
- Recent advances in science have ensured that detailed and comparative studies of frog genes, behaviour, calls and physical characteristics are possible.
- Technology and modern gear has helped in observing them at night which is when amphibians are active.
- Better access online to type specimens of previously described taxa in open access forums has also helped.

\n

\n\n

### **How do these discoveries matter?**

\n\n

\n

- Distinguishing taxonomic status is the crucial first step to understanding amphibian ecology and evolution better.  
\n
- It can be vital for conservation efforts.  
\n
- It tells us how frogs adapt to their surroundings; and in turn helps us see how they can adapt to changing climates.  
\n
- Studies to understand the effects of climate change on amphibian life-histories are vital.  
\n
- Being restricted to small areas or 'microhabitats', even small changes in temperature could be dangerous for frogs.  
\n
- It is also crucial to understand the role of frogs in the ecosystem.  
\n
- High insect populations could decimate crop produce and affect humans directly, but frogs keep them under control.  
\n
- They also have porous skin, which means that any pollution in the local ecosystem will affect them first.  
\n
- Thus they are great bio-indicators and reflect the health of an ecosystem.  
\n

\n\n

\n\n

**Source: The Hindu**

\n

