

## **Microplastics Pollution in the Ganga**

### **Why in news?**

An analysis of the stretches of the river Ganga by Delhi-based environment NGO Toxics Link has revealed pollution by microplastics.

### **What are microplastics?**

- Microplastics are defined as synthetic solid particles sized ranging 1 micrometre ( $\mu\text{m}$ ) to 5 millimetre (mm).
- These are insoluble in water.
- Microplastics are recognised as a major source of marine pollution.
- The major sources of microplastics are:
  - i. untreated sewage from many cities along the river's course
  - ii. industrial waste
  - iii. religious offerings wrapped in non-degradable plastics
- The plastic products and waste materials released or dumped in the river are eventually broken down into micro particles.
- The river finally transports large quantities downstream into the ocean which gets to be the ultimate sink of all plastics being used by humans.

### **What does the study reveal?**

- The study is titled 'Quantitative analysis of Microplastics along River Ganga'.
- It was based on an analysis of water samples at Haridwar, Kanpur and Varanasi.
- The highest concentration of microplastics was found at Varanasi.
- It comprised single-use and secondary broken-down plastics from articles of everyday use.
- These include tyres, clothing, food packaging, bags, cosmetics with microbeads, garland covers and other municipal waste.
- The sample test results show the presence of at least 40 different kinds of polymers as microplastics.
- The shapes and nature of the observed resins ranged from fibres to fragments, films and beads.
- Fragments were the predominant shape in all locations, followed by film and fibre.
- Microbeads were observed in Varanasi and Kanpur, while no beads were

found in Haridwar.

- The most frequent size range observed in all the samples was  $<300\mu\text{m}$ .
- Previous studies say that over 663 marine species are affected adversely due to marine debris.
- 11% of them are said to be affected due to microplastic ingestion alone.

### **What does this signify?**

- The study results seriously question the progress of two high-priority, well-funded government missions:
  - i. The Swachh Bharat, to deal with solid waste
  - ii. Namami Gange, to rid the Ganga river of its pollution
- Microplastics are flowing all along into the river system.
- This suggests a direct linkage between the poor state of both solid and liquid waste management.
- Official data indicate that 97 Ganga towns may be discharging about 750 million litres of untreated sewage a day into the river.

### **What is the larger concern?**

- Microplastics is recorded in recent times in the remotest of places.
- These include Mount Everest, Arctic snow, Icelandic glaciers, the French Pyrenees, and the depths of the Mariana Trench, among others.
- It poses a serious hazard as plastics waste production outpaces governments' capacity to collect and manage it, given the limits with recycling.
- The waste management rules issued by successive governments fall short at the implementation level.
- The Centre recently issued a draft to tighten the Plastic Waste Management Rules.
- But cities have failed to implement existing rules as well as the Solid Waste Management rules.

### **What are the measures needed?**

- Swachh Bharat must mean not merely keeping waste out of sight, achieved through costly dumping contracts.
- It instead means sharply reduced waste generation, full segregation and recycling.
- Plastic waste around the world is threatening the food web.
- The crisis thus demands a new global treaty modelled on the Montreal Protocol and the Paris Agreement.
- India needs to demonstrate that it is serious about a clean-up at the domestic

level.

- Improving plastic waste management and the subsequent reduction in microplastic pollution should be the priority.
- Various stakeholders, including industry, the government and civil society organisations, need to join hands.

**Source: The Hindu**

