

Prelim Bits 31-12-2018

Renaming of Islands

\n\n

\n

- PM has recently announced renaming of 3 islands of the Andaman and Nicobar archipelago as a tribute to Netaji Subhas Chandra Bose.

\n

- The Ross Island was renamed Netaji Subhas Chandra Bose Dweep, the Neil Island as Shaheed Dweep and the Havelock Island as Swaraj Dweep.

\n


- Ross Island is in the South Andaman region and 3km east from Port Blair.

\n

- Neil Island and Havelock Island is in Ritchie's Archipelago.

\n

\n\n



\n\n

Helium

\n\n

\n

- Helium is the second most abundant element in the Universe, after Hydrogen.

\n

- Its abundance is due to the very high nuclear binding energy (per nucleon) of helium.

\n

- In its gaseous form, it is so light, and it escape from the Earth easily.

- \n
- In one of the places, it is found in volcanic lava plumes, such as seen in Iceland and Hawaii, originating from the Earth's mantle.
- \n
- This is ancient helium from when the Earth was formed.
- \n
- It is believed to be trapped in compounds deep within the earth.
- \n
- A team of researchers has come up with the possibility that the mantle helium must exist as the compound FeO_2He .
- \n
- The compound is stable and solid under the pressure and temperature conditions prevailing at those depths.
- \n
- Researchers are using a crystal search algorithm to look at possible compounds containing helium.
- \n
- It will solve the long-standing problem of where ancient helium is stored in the Earth.
- \n

\n\n

Equatorial Geophysical Research Laboratory

\n\n

- \n
- Equatorial Geophysical Research Laboratory (EGRL), is a regional centre of the Indian Institute of Geomagnetism (IIG), Mumbai.
- \n
- It is a multi-disciplinary centre with instruments to measure the Earth's magnetic field variations and various atmospheric parameters.
- \n
- It is trying to establish the teleconnection between distant regions of the atmosphere and their impact on regions up to 100 km height and beyond.
- \n
- It is in Tirunelveli, Tamil Nadu and this facility has been continuously monitoring the Earth's near-space environment for over 25 years.
- \n
- **Significance of the location** - Tirunelveli is in close proximity to both the geomagnetic and geographic equator.
- \n
- When winds blow, electric currents are expected to be produced in the electrically charged upper layers of the atmosphere across the geomagnetic field.

- \n
- Over Tirunelveli and the adjoining regions, where the geomagnetic field is horizontal the current flowing primarily in the east-west direction would be enhanced.
- \n
- Scientists call this current '**Equatorial Electrojet**' and probing this helps scientists understand the Sun-Earth connection.
- \n
- **New facility** - Another major experimental facility was recently set up to monitor secondary cosmic rays.
- \n

\n\n

Secondary Cosmic Rays

\n\n

- \n
- They are produced from supernovae, colliding galaxies and spinning black holes.
- \n
- When the cosmic rays from these sources enter the Earth's atmosphere, it loses its energies through collisions with our atmospheric molecules.
- \n
- As a result, it produces a cascade of subatomic particles known as secondary cosmic rays.
- \n

\n\n

Himalayan Griffon Vultures

\n\n

- \n
- Himalayan Griffon Vultures is the largest of the genus Gyps.
- \n
- It has been listed as "Near Threatened" under IUCN Red list of threatened species and under Appendix II in [CITES](#).
- \n
- Its habitat is mainly Terrestrial such as Rocky areas (eg. inland cliffs, mountain peaks) and Grassland.
- \n
- It is distributed from western China, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Afghanistan and Pakistan, east through the Himalayan mountain range in India, Nepal and Bhutan, to central China and Mongolia.
- \n

- It has become an almost annual, but rare, winter visitor to Thailand, Myanmar, Bangladesh, Cambodia and Thai-Malay Peninsula.
\n
- The species population appears to be stable in Dehradun District, Uttarakhand.
\n
- The current population trend is stable, but it is suspected that it may undergo population decline over the next 3 generations.
\n
- It is mainly because of the impacts of diclofenac use in livestock.
\n
- The species was recently sighted at the famous vulture habitat Panchikalpet forest range in Telangana.
\n
- The significance of the sighting, the experts opined that Pala Rapu can become a winter migration destination for the birds from the north.
\n

\n\n

Chang'e-4

\n\n

- Chang'e 4 is a Chinese lunar exploration mission.
\n
- It incorporated an orbiter, a robotic lander and rover.
\n
- It is the world's mission to land on the dark side of the moon.
\n
- The moon is tidally locked Earth, rotating at the same rate that it orbits our planet, so the far side (Dark side) is never visible from the Earth.
\n
- The probe has recently entered a planned orbit to prepare for the first ever soft landing on the far side of the moon.
\n
- It will explore the lunar surface in the south pole - Aitken basin, which is one of the largest known impact craters in the solar system.
\n

\n\n

\n\n

Source: The Hindu

\n\n

\n\n

\n\n

\n\n

\n\n

\n\n

\n\n

\n



SHANKAR
IAS PARLIAMENT
Information is Empowering