

UPSC Daily Current Affairs | Prelim Bits 17-07-2024

Bimetallic NiFe systems

A new study claims that a bimetallic Nickel-Iron layered double hydroxide system is the most efficient for oxygen production through water splitting.

- **Research by** - The Institute of Advanced Study in Science and Technology (IASST).
- **Nodal Agency**- Department of Science and Technology (DST)
- **Finding**- A bimetallic Nickel-Iron layered double hydroxide system ***efficiently produces O₂ through water splitting.***
- It eliminates the need for trimetallic solutions to enhance productivity.

Water splitting is a sustainable and eco-friendly method to generate green and pure H₂ and O₂ on a large scale without harming flora and fauna.

- To improve water splitting efficiency, scientists have focused on 2 key reactions i.e.
 - The hydrogen evolution reaction (HER) and
 - The oxygen evolution reaction (OER).
- **Composition and Structure**- NiFe systems combine nickel (Ni) and iron (Fe) at the molecular level.
- NiFe LDHs are structured with ***positively charged*** metal hydroxide layers separated by anions and water molecules.
- This structure provides a high surface area and favorable catalytic sites.
- **Catalytic Properties**- NiFe LDHs are highly efficient catalysts for the OER, a crucial step in water splitting.
- The combination of ***Ni and Fe*** improves ***catalytic activity*** and stability.
- **Applications**- NiFe systems are extensively used in electrochemical cells for splitting water into hydrogen and oxygen.
- They also explored applications in batteries, supercapacitors, and other energy storage and conversion devices due to their excellent electrochemical properties.
- **Advantages**- NiFe systems are made from abundant and inexpensive

metals, making them a cost-effective alternative to precious metal catalysts like ***platinum and iridium.***

Reference

[PIB | Bimetallic NiFe systems](#)

Chandipura virus

Recently 6 children have died due to suspected Chandipura virus Infection (CHPV) in Gujarat.

- Chandipura virus, aka Chandipura vesiculovirus (CHPV), is an ***RNA virus.***

RNA virus is a virus that has single-stranded as well as double-stranded RNA as its genetic material.

- It is a ***noncontagious*** disease.
- **Virus Family-** Rhabdoviridae family.

The Rhabdoviridae family are bullet-shaped, negative-sense single-stranded RNA (ssRNA) viruses which also includes the rabies virus.

- **First identified-** In 1965 in Chandipura, Maharashtra.
- **Transmission-** Chandipura virus is primarily transmitted through the ***bite of infected sandflies*** (genus Phlebotomus).
- The virus primarily affects children and has been associated with outbreaks of acute encephalitis in India.
- It is a serious pathogen with a rapid onset of severe symptoms, primarily affecting children in certain regions.
- The virus resides in the salivary gland of these insects, and can be transmitted to humans or other vertebrates like domestic animals through bites.
 - **Vector-borne transmission-** The primary mode of transmission is through sandfly bites.
 - **Animal reservoirs-** Certain animal species may act as reservoirs for the virus, though this is still under investigation.
 - **Environmental factors-** Outbreaks have been linked to specific

environmental conditions that favor the breeding of sandflies.

- **Symptoms** - Fever, Headache, Vomiting, Convulsions, Coma.
- **Treatment**- There is ***no specific antiviral treatment*** or vaccine for Chandipura virus infection.
- **Prevalance of Disease in India**- Significant outbreaks of the disease in India were seen in 2003-04 in states such as ***Maharashtra, northern Gujarat and Andhra Pradesh***.
- The infection has largely remained endemic to the central part of India, where the population of CHPV infection-spreading sandflies and mosquitoes is higher.

Reference

[Indian Express | Chandipura virus](#)

Governing rules on civil servants

The Centre has formed a single-member committee to review all documents submitted by probationary IAS officer Puja Khedkar for her civil services candidature.

- All IAS, Indian Police Service (IPS) and Indian Forest Service officers are governed by the ***All India Services (conduct) Rules, 1968*** from the time they are allotted their service, and begin training.
- **AIS (Conduct) Rule 3(1)**- Every member of the Service shall always maintain absolute integrity and devotion to duty and shall do nothing unbecoming of a member of the Service.
- **Rule 4(1)**- Officers must not use their “position or influence” to “secure employment for any member of his family with any private undertaking or NGO”.
- **Rule 11(1)**- Officers may accept gifts from close relatives or friends without official dealings on special occasions but must report gifts over Rs 25,000.
- **Rule 12**- It outlines circumstances for discharging probationers, including being found ineligible or unsuitable by the central government, willfully neglecting probationary studies or duties, and lacking necessary qualities of mind and character.
- **Few sub-rules**
- Officers should maintain ***high ethical standards***,
 - Integrity and honesty;

- Political neutrality;
- Accountability and transparency;
- Responsiveness to the public, particularly to the weaker sections; courtesy and good behavior with the public.
- They must take a decision solely in the public interest.
- Declare any private interests relating to his public duties.
- Not place himself under any financial or other obligations to any individual or organization which may influence him.
- Not misuse his position as civil servant and not take decisions to derive financial or material benefits for himself, his family or his friends.

Reference

[The Indian Express | Rules governing civil servants](#)

Squalus Hima

Scientists from the Zoological Survey of India (ZSI) have discovered a new species Squalus hima from Sakthikulangara fishing harbour in Kerala along the Arabian Sea.

- It is a newly discovered dogfish shark characterized by smooth dorsal fin spines.
- It is commonly known as **spurdogs**.
- **Genus** - Squalus and Centrophorus.
- **Family**- Squalidae.
- This species has been largely misidentified with S. mitsukurii and S. Lalannei.
- **Distinction**- Squalus hima sp.nov differs from other species by the number of precaudal vertebrae, total vertebrae, teeth count, trunk & head heights, fin structure, and fin color.
- **Appearance** - It is characterised by an angular short snout, a small mouth almost as wide as the snout, first dorsal fin origin behind the pectoral fins, and body without any spots.
- **Threats** - Genus Squalus and Centrophorus contains liver oil that with high levels of squalene (or squalane is when it is processed for products).
- It is in high demand for pharmaceutical industries, particularly for making high end cosmetic products and anti-cancerous products.



Reference

[The Hindu | Squalus hima](#)



SHANKAR
IAS PARLIAMENT
Information is Empowering